

Safety Data Sheet

1.0 Product Identifier

1.1 Material Name – Novus 48 Acid

REACH Registration number – NA

1.2 Relevant uses – Elastomer bonded sheet gasket material with an acid resistant binder.

1.3 Details of the supplier –

Flexitallic Ltd, Scandinavia Mill, Hunsworth Lane, Cleckheaton,
West Yorkshire, BD19 4LN
Phone number – 01274 851273
Emergency e-mail – enquiries@flexitallic.eu

1.4 Emergency telephone number - 01274 851273

2.0 Hazard identification

2.1 Classification of items within the mixture.

Regulation (EC) No 1272/2008 (CLP)	Hazard Statement
Aramid Fibre	Non-hazardous within the mixture
Elastomeric Binder (Chlorosulphonated Polyethylene)	Non-hazardous within the mixture
Processed Mineral Fibre	Non-hazardous within the mixture
Inert Mineral Fillers	Non-hazardous within the mixture
Processing Aids	Non-hazardous within the mixture
Vulcanising Agents	Non-hazardous within the mixture
Pigments	Non-hazardous within the mixture

2.2 Label Elements - not applicable to these products.

2.3 Other hazard information: – although substances used in the manufacture of this sheet material can, prior to production, present hazards from ingestion etc. – when contained within the sheet materials they do not present a hazard in any form nor can they be released.

3.0 Information on ingredients.

3.1 – Ingredients within the mix used to produce this sheet are listed in section 2.1 of this document.

3.2 Mixtures – not applicable to this material.

4.0 First aid measures

4.1 Description of first aid measures

General information: – the materials used to produce this product do not present any risk to the user in its encapsulated form. However when cutting operations are being carried out there is a low probability of dust or fume release.

In accordance with best practise the work should be carried out in a well-ventilated area or an engineering solution provided (Local Exhaust Ventilation – LEV). However if this is not possible then respiratory protection can be used.

Skin contact – always wash well after handling these products.

Eye contact – flush the eye(s) with clean water.

Ingestion – highly improbable.

4.2 Symptoms – some mild skin irritation can occur.

4.3 Indications of immediate medical attention being required – none.

5.0 Fire Fighting measures –

General: – the material will burn with difficulty in a sustained fire situation but will tend to self-extinguish when the source of ignition is removed.

5.1 Extinguishing media: – Water or foam.

Dry chemical powder and carbon dioxide may also be used. In view of the comments in 'general' the source of the fire should be dealt with in accordance with requirements and the material will then self-extinguish.

5.2 Special hazards arising from the material – very low level of irritant fumes and toxic gases.

5.3 Advise to fire fighters – Wear self-contained BA and protective suit. Wear Neoprene™ gloves when handling refuse from fire.

6.0 Accidental release measures

6.1 Personal precautions etc. - none.

6.2 Environmental precautions – none.

7.0 Handling and storage

7.1 Gloves should be worn when handling these materials.

7.2 Conditions for safe storage - none required.

7.3 Specific end uses - refer to appropriate technical data sheet.

8.0 Exposure controls/personal protection

Not applicable to these products.

9.0 Physical Properties.

- Physical state – solid.
- Colour and appearance – Sheet material, pale yellow colour
- Odour threshold – NA
- Vapour pressure – NA
- Vapour density – NA
- Evaporation rate – NA
- Boiling point – NA
- Freezing point – NA
- pH – NA
- Specific gravity – NA
- Coeff. Water/Oil Dist. – NA

10.0 Stability and reactivity

10.1 Reactivity – NA

10.2 Chemical stability – NA

10.3 Possibility of hazardous reactions – NA

10.4 Conditions to avoid – NA

10.5 Incompatible materials –NA

10.6 Hazardous decomposition products – may include oxides of carbon & sulphur, hydrogen chloride & chlorinated hydrocarbons



11.0 Toxicological Information.

Not applicable to these products

12.0 Ecological Information

- 12.1 Toxicity – N.A.
- 12.2 Persistence and degradability – N.A.
- 12.3 Bio accumulative potential – N.A.
- 12.4 Mobility in soil – N.A.
- 12.5 Results of PBT and vPvB assessment - N.A.
- 12.6 Other adverse effects – N.A.

13.0 Disposal considerations

- 13.1 All waste should be disposed of in accordance with the requirements of local regulations. Consideration should also be given to the potential for re-cycling or, if possible, by environmentally friendly routes. These could include re-cycling or the use of waste in Refuse Derived Fuel plants.

14.0 Transport considerations

No special requirements

15.0 Regulatory information

- 15.1 Safety, Health and Environmental regulations – N.A.
- 15.2 Chemical safety assessment – N.A.

16.0 Other information

Date This Document Was Created – Aug 2014

Date of issue – Sep 2014

Brief description of changes since the last version –

Development of the extended safety data sheet REACH annex II revision.

Updated Information

- 2.1 Contents
- 5.3 Advise to fire fighters
- 10.6 Hazardous Decomposition Products



List of abbreviations – vPvB – very Persistent very Bio accumulative

STOT – specific target organ toxicity

Issuing authority - Flexitallic Applications Engineering Department

Total Pages - 5

A handwritten signature in blue ink, appearing to be 'D. J. ...', is located in the bottom right corner of the page.